According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/01/1997 Revision Date: 1/15/2020 Version: 10.1 (English US)

#### SECTION 1: IDENTIFICATION 1.1 Product Identifier

Product Identifier	
Product Name:	NW-120
Synonyms:	Phosphoric Acid, 75%, Food Grade, KOSHER
Product Form:	Liquid
Chemical Family:	Mineral acid

# **1.2 Intended Use of the Product** Use of the substance: Liquid mineral acid used to clean waterborne deposits. Use of the substance: For professional use only.

#### 1.3 Contact Information of the Manufacturer

Johnson Screens / Aqseptence Group 1950 Old Highway 8 NW New Brighton, MN 55112 USA Telephone: +1-661-323-1525 http://www.johnsonscreens.com/

### 1.4 Emergency Telephone Number

Emergency Number: +1-800-262-8200 USA +1-703-741-5500 International CHEMTREC

### **SECTION 2: HAZARDOUS IDENTIFICATION**

#### 2.1. Physical Hazards

**Corrosive to metals** 

Category 1

#### Acute toxicity Classification (GHS-US)

classification (0115-0.	,
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
Aquatic Chronic 3	H402
Full text of H-phrases:	see Section 16

#### 2.2. Label Elements

GHS-US Labelling Hazard Pictograms (GHS-US):



Signal Word (GHS-US):

Danger

Hazard Statements: (GHS-US) Precautionary Statements: (GHS-US)

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

ents: P234 - Keep in original container.

P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands, forearms, and exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep at rest in a position comfortable for breathing.

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CONTROL CENTER, or a doctor.

P321 - Specific treatment (see Section 4 on this SDS).

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material damage.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. If involved in a fire and thermal decomposition occurs, potential toxic and acrid vapors may be released.

#### 2.4 Unknown Acute Toxicity (GHS-US) No data available

# SECTION 3: COMPOSISTION/INFORMATION ON INGREDIENTS

- **3.1 Substance:** Not Applicable
- 3.2 Mixture

Name	Product Identifier	Percentage	Classification (GHS-US)
Phosphoric Acid	CAS No. 7664-38-2	70 - 80	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation: mist), H332 Skin Corr. 1B, H315 Eye Dam. 1, H319
Other components below reportable limits		10 - 20	Not classified

See Section 16 for the full text of H-phrases.

# **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of First Aid Measures

**First-aid Measures General**: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

**First-aid Measures after Inhalation**: Keep at rest and in a position comfortable for breathing. Seek medical attention. Symptoms may be delayed.

**First-aid Measures after Skin Contact**: Remove/Take off immediately all contaminated clothing. Immediately flush skin with plenty of water and mild soap for at least 30 minutes. Seek medical advice/attention. Wash contaminated clothing before reuse.

**First-aid Measures after Eye Contact**: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 30 minutes. Immediately call a POISON CENTER or doctor/physician.

**First-aid Measures after Ingestion**: Rinse mouth thoroughly with water. Do NOT induce vomiting. Seek medical attention immediately.

# 4.2 Most Important symptoms and effects, both acute and delayed

Symptoms/Injuries: Causes mild skin irritation and possible severe eye irritation.

**Symptoms/Injuries after Inhalation:** Inhalation may cause immediate severe irritation progressing quickly to chemical burns. Corrosive to mucus membranes. Corrosive to the respiratory tract. Symptoms may be delayed.

Symptoms/Injuries after Skin Contact: Causes severe skin irritation.

Symptoms/Injuries after Eye Contact: Causes serious eye irritation.

Symptoms/Injuries after Ingestion: May cause irritation of the linings of the mouth, throat, and

gastrointestinal tract. Ingestion of a large quantity of this material could result in serious health hazard.

Chronic Symptoms: None expected under normal conditions of use.

#### 4.3 Indication of any Immediate Medical Attention and Special Treatment Needed

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If you feel unwell, seek medical advice (show the label where possible).

# **SECTION 5: FIRE FIGHTING MEASURES**

# 5.1 Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread product.

# 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Reacts with (strong) oxidizers: (increased) risk of fire. Contact with metals may evolve flammable hydrogen gas.

# **5.3. Advice for Firefighters Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Keep upwind. Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Firefighters must use full bunker gear including NIOSH-approved positive pressure selfcontained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. Evacuate area and fight the fire from a maximum distance or use unmanned hose holders or monitor nozzles. Cover pooling liquid with foam. Containers can build pressure if exposed to radiant heat; cool adjacent containers with flooding quantities of water until well after the fire is out. Withdraw immediately from the area if there is a rising sound from a venting safety device or discoloration of vessels, tanks, or pipelines. Be aware that burning liquid will float on water. Notify appropriate authorities if liquid enter sewers or waterways. **Other Information:** Do not allow the product to be released into the environment. Do not allow run-off from fire fighting to enter drains or water sources.

# **SECTION 6: Accidental Release Measures**

# 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid all unnecessary exposure. Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist, or spray.

# 6.1.1 For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE). Emergency Procedures: Evacuate unnecessary personnel. Keep upwind.

# 6.1.2 For Emergency Responders

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

# **6.2 Environmental Precautions**

Avoid unnecessary release into the environment. Notify authorities if undiluted product enters sewers or public waters.

**6.3 Methods and Material for Containment and Cleaning Up For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Ventilate area. Clean up spills immediately and dispose of waste safely. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Collect absorbed material and place into a sealed, labeled container for proper disposal. Practice good housekeeping - spillage can be slippery on smooth surface either wet or dry.

# **6.4 Reference to Other Sections**

See Section 8, Exposure Controls and Personal Protection. Concerning disposal elimination after cleaning, see Section 13.

# SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for Safe Handling

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Page **4** of **7** 

Additional Hazards When Processed: Any proposed use of this product in an elevated temperature process should be thoroughly evaluated to assure that safe operating conditions are established and maintained. Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Always wash your hands immediately after handling this product, and once again before leaving the workplace.

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink, or smoke in areas where product is used.

**Storage Conditions:** Store in a dry, cool, and well-ventilated area. Keep container closed when not in use. Store away from oxidizers and caustic products. Storage areas should be periodically checked for damage and integrity.

Incompatible Products: Strong oxidizers. Strong bases.

# 7.2 Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Observe all regulations and local requirements regarding storage of containers. Container remains hazardous when empty, unless properly cleaned. Continue to observe all precautions. Containers and equipment used to handle this product should be exclusively for this material.

# 7.3 Specific End Use(s)

Solution used to enhance acid cleaning activity; use at a rate of 0.5 to 5.0% of the cleaning solution; for professional use only.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control Parameters

For substances listed in Section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

# Potassium hydroxide (CAS No. 1310-58-3) (minor constituent, <3%)

USA ACGIH:	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA NIOSH:	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>

# 8.2 Exposure Controls

Appropriate Engineering Controls:

Emergency eye wash fountain should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilations, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** 

Face shield. Protective goggles. Protective clothing. Gloves. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Hand Protection: Eye Protection: Skin and Body Protection: Respiratory Protection:

Environmental Exposure Controls: Consumer Exposure Controls: Corrosion proof materials and fabrics. Impermeable protective gloves. A full face shield is recommended. Chemical safety goggles. Wear suitable protective clothing. Use a NIOSH approved respirator or self-contained-breathingapparatus whenever exposure may exceed established Occupational Exposure Limits.

Do not allow the product to be released into the environment. Do not eat, drink, or smoke during use.

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on Basic Physical and Chemical Properties

			•	
	Physical State:	Liquid	Odor:	Slight chemical odor
	Appearance:	Amber	Auto Ignition Temp:	Non-detect (none)
	pH:	2.3	Specific Gravity:	1.19
	Boiling point:	121 °C (249.8 °F)	Freezing point:	0 °C (32 °F) – clouding will occur
	Vapor Density:	1.0 (water)	Vapor pressure:	Vapor is water
	Solubility:	Water (complete)		
· -				

9.2 Other Information: No additional information

# SECTION 10: STABILITY AND REACTIVITY

**10.1 Reactivity:** Reacts with (strong) oxidizers: increased risk of fire. Undiluted products contact with metals may evolve release small quantities of hydrogen gas.

**10.2 Chemical Stability:** Stable under recommended handling and storage conditions (see Section 7).

10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

**10.4 Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, open flames, sources of ignition and incompatible materials.

**10.5 Incompatible Materials:** Strong oxidizers. Strong bases.

**10.6 Hazardous Decomposition Products:** Acrid smoke and irritating fumes.

# SECTION 11: TOXICOLOGICAL INFORMATION

### **11.1 Information on Toxicological Effects**

Acute Toxicity: Not Classified.

LD50 Oral Rat: 1950 mg/kg

LC50 Inhalation Rat: 3.6 mg/l/4h

Skin Contact – Acute: Dermal LD<sub>50</sub> Rabbits > 3000 mg/kg

Skin Contact - Chronic: Skin irritation Rabbits (Draize Score 1.6 /8)

Eye Contact – Acute: Minimal Rabbits (Draize score 2.7 / 110)

Skin Corrosion/Irritation: May cause irritation to skin and serious eye irritation or damage. pH: 2.3

Serious Eye Damage/Irritation: May cause serious eye irritation or damage. pH: 2.3

Respiratory or Skin Sensitization: Not Classified.

Germ Cell Mutagenicity: Not Classified.

Carcinogenicity: Not Classified.

Reproductive Toxicity: Not Classified.

Specific Target Organ Toxicity (single exposure): Not Classified.

Specific Target Organ Toxicity (repeated exposure): Not Classified.

Aspiration Hazard: Not Classified.

**Symptoms/Injuries after Inhalation:** Inhalation of mist may cause severe irritation to lungs and nasal passages progressing to chemical burns with prolonged exposure. Mildly corrosive to mucus membranes and respiratory tract. Symptoms may be delayed.

**Symptoms/Injuries after Skin Contact:** May cause skin irritation. Prolonged exposure could result in more severe irritation or chemical burns.

Symptoms/Injuries after Eye Contact: May cause serious eye damage if not rinsed immediately.

**Symptoms/Injuries after Ingestion:** May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Swallowing a large quantity of this material may pose a serious health hazard. **Chronic Symptoms:** None expected under normal conditions of use.

# SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		aterial is hazardous to the aquatic environment in large quantities. Keep out of and waterways unless neutralized and/or diluted.
Ecology – Water:		aterial is hazardous to the aquatic environment in large quantities. Keep out of a sand waterways unless neutralized and/or diluted.
LC50 Bluegill:	186 m	g/l
EC50 Daphnia 1:	44 mg/	4
12.2 Persistence and Degradability		
BOD (5) 1.0% solutio	n:	7950 mg O <sub>2</sub> /L
BOD (5) 0.1% solutio	n:	725 mg O <sub>2</sub> /L
Total Organic Carbor	n:	2.2%
12.3 Bioaccumulation Pot	ential:	Non-bioaccumulating
12.4 Mobility in Soil:		Product is slightly viscous and has limited mobility in soils.
12.5 Other Adverse Effect	s:	No additional information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### **13.1 Waste Treatment Methods**

Sewage Disposal Recommendations	: Diluted product will not disrupt waste water treatment. Do not empty into drains;
Waste Disposal Recommendations:	dispose of this material and its container in a safe way. Dispose of waste material in accordance with all local, regional, national, and international regulations.

# SECTION 14: TRANSPORTATION INFORMATION

#### 14.1 In Accordance with DOT

Not regulated as a hazardous material by the US Dept. of Transportation (DOT) 49CFR 172.101 Hazardous Materials Table Proper Shipping Name: COMPOUND, LIQUID, CLEANING, CORROSIVE, POLYMALAEIC ACID BLEND Hazard Class: Non-Hazardous Identification Number: UN/NA1760 Label Codes: None Required Packing Group: II ERG Number: 154 14.2 In Accordance with IMDG Proper Shipping Name: COMPOUND, LIQUID, CLEANING, CORROSIVE, POLYMALAEIC ACID BLEND Hazard Class: Non-Hazardous Identification Number: UN/NA1760 Packing Group: II

Label Codes: None Required EmS-No. (Fire): F-A

EmS-No. (Spillage): S-B

# 14.3 In Accordance with IATA

Proper Shipping Name: COMPOUND, LIQUID, CLEANING, CORROSIVE, POLYMALAEIC ACID BLEND Packing Group: II Identification Number: UN/NA1760

Hazard Class: Non-Hazardous

Label Codes: None Required

ERG Code (IATA): 8L

# 14.4 In Accordance Canadian TDG

Proper Shipping Name: COMPOUND, LIQUID, CLEANING, CORROSIVE, POLYMALAEIC ACID BLEND Hazard Class: Non-Hazardous Label Codes: None Required

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reportable Quantity: None

# **SECTION 15: REGULATORY INFORMATION**

**15.1 RCRA Status:** Not a hazardous waste under RCRA 40 CFR 261. No reportable quantities.

**15.2 SARA/TITLE III-CERCLA List:** This product does not contain a "CERCLA" listed hazardous substance for emergency release notification under Sec. 304 (40CFR 302).

**15.3 SARA/TITLE III-Toxic Chemicals List:** This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Sec. 313 (40CFR 372).

#### 15.4 TSCA Inventory Status: Chemical components listed on TSCA Inventory.

**15.5 California Proposition 65:** This product does not contain any chemicals currently on the California list of known carcinogens and reproductive toxins.

**15.6 Canadian WHMIS Classification:** This product does not contain any hazardous materials under CPR and this MSDS discloses all information elements required by the CPR.

# SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Issue:** 06/01/1997 **Revision Date:** 01/15/2020 Version: 10.1 (English US)

### HS Tariff Classification Number: 3402.90.5030 preference criterion B

**Other Information:** This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### GHS Full Text Phrases:

Acute Tox. 4 (Inhalation: mist)	Acute toxicity (inhalation: mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled

**Disclaimer:** The information contained in this SDS was compiled using the latest and most reliable information available at the time of printing. The information contained herein is based on data considered accurate and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product, and, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the user thereof.